

**STATE OF MISSOURI  
HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING**  
**Contract I.D.** 200417-C03

THIS JOB SHALL BE CONSTRUCTED UNDER  
FEDERAL PROJECT NUMBER(S): FAS S302(002)

Job J4P3266 Various Routes Various Counties

BIDDER CHECKLIST  
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at [www.bidx.com](http://www.bidx.com). Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision  
-only used if bidding more than one project and should be  
in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting  
(obtaining a digital ID may take 5 business days)

\*\*\*\*\*

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

**TABLE OF CONTENTS**

## Notice to Contractors

|   |            |
|---|------------|
| Proposed Work.....  | item (1)   |
| Compliance With Contract Provisions.....                    | item (2)   |
| Period of Performance.....                                  | item (3)   |
| Liquidated Damages.....                                     | item (4)   |
| Itemized Bid.....   | item (5)   |
| Trainees.....   | item (6)   |
| DBE Certification*.....                                     | item (7)   |
| Acceptance of Provision for Price Adjustment for Fuel.....  | item (8a)  |
| Acceptance of Provision for Asphalt Cement Price Index..... | item (8b)  |
| Max. Monetary Value of Awards Accepted this Bid Opening...  | item (9)   |
| Combination Bids.....                                       | item (10)  |
| Certification for Federal Jobs.....                         | item (11a) |
| Certification for State Jobs.....                           | item (11b) |
| Antidiscrimination.....                                     | item (12)  |
| Preference to Missouri Firms in Awarding of Contracts.....  | item (13)  |
| Subcontractor Disclosure Form*.....                         | item (14)  |
| Signature and Identity of Bidder.....                       | item (15)  |
| Bid Guaranty*.....  | item (16)  |

\*These forms are also available on MoDOT's Website, [www.modot.org](http://www.modot.org) under Information on the Bid Opening Info page of the Contractor Resources site.

**NOTICE TO CONTRACTORS**

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 04/17/2020.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J4P3266 Route Various VARIOUS County. Bridge rehabilitations at various locations throughout the urban Kansas City district, the total length of improvement being 0.714 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction, 2019," and "Missouri Standard Plans for Highway Construction, 2019", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

| Line Number             | Item Number  | Quantity  | Unit | Unit Price | Extension Price |
|-------------------------|--|-----------|------|------------|-----------------|
| Section 0001            |  |           |      |            |                 |
| Roadway Items - J4P3266 |  |           |      |            |                 |
| 0010                    | 2022010  | 1.000     | LS   |            |                 |
|                         | REMOVAL OF IMPROVEMENTS  |           |      |            |                 |
| 0020                    | 2024043  | 153.000   | SQFT |            |                 |
|                         | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)   |           |      |            |                 |
| 0030                    | 4030007  | 231.200   | TONS |            |                 |
|                         | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095BSM MIX)   |           |      |            |                 |
| 0040                    | 6161005  | 1078.000  | SQFT |            |                 |
| <b>2 Revised</b>        | CONSTRUCTION SIGNS   |           |      |            |                 |
| 0050                    | 6161008  | 8.000     | EA   |            |                 |
| <b>2 Revised</b>        | ADVANCED WARNING RAIL SYSTEM   |           |      |            |                 |
| 0060                    | 6161009  | 8.000     | EA   |            |                 |
|                         | FLAG ASSEMBLY  |           |      |            |                 |
| 0070                    | 6161025  | 210.000   | EA   |            |                 |
|                         | CHANNELIZER (TRIM LINE)  |           |      |            |                 |
| 0080                    | 6161030  | 16.000    | EA   |            |                 |
|                         | TYPE III MOVEABLE BARRICADE  |           |      |            |                 |
| 0090                    | 6161040  | 4.000     | EA   |            |                 |
|                         | FLASHING ARROW PANEL   |           |      |            |                 |
| 0100                    | 6161098A   | 4.000     | EA   |            |                 |
|                         | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |           |      |            |                 |
| 0105                    | 6162000A   | 1.000     | EA   |            |                 |
| <b>2 Added</b>          | WORK ZONE TRAFFIC SIGNAL SYSTEM  |           |      |            |                 |
| 0110                    | 6173600D   | 1230.000  | LF   |            |                 |
| <b>3 Revised</b>        | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED   |           |      |            |                 |
| 0120                    | 6173700B   | 1289.000  | LF   |            |                 |
|                         | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED                                |           |      |            |                 |
| 0130                    | 6174000A   | 6.000     | EA   |            |                 |
|                         | TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION  |           |      |            |                 |
| 0140                    | 6175010A   | 6444.000  | LF   |            |                 |
| <b>3 Revised</b>        | RELOCATING TEMPORARY TRAFFIC BARRIER   |           |      |            |                 |
| 0150                    | 6181000  | 1.000     | LS   |            |                 |
|                         | MOBILIZATION   |           |      |            |                 |
| 0160                    | 6200021  | 16.000    | EA   |            |                 |
| <b>2 Revised</b>        | PERFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW   |           |      |            |                 |
| 0170                    | 6205902A   | 4271.000  | LF   |            |                 |
| <b>3 Revised</b>        | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                             |           |      |            |                 |
| 0180                    | 6205903A   | 1458.000  | LF   |            |                 |
|                         | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                            |           |      |            |                 |
| 0190                    | 6206000C   | 1640.000  | LF   |            |                 |
|                         | 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS                               |           |      |            |                 |
| 0200                    | 6206001C   | 5071.000  | LF   |            |                 |
| <b>2 Revised</b>        | 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS                              |           |      |            |                 |
| 0210                    | 6207001  | 20939.000 | LF   |            |                 |
| <b>3 Revised</b>        | PAVEMENT MARKING REMOVAL   |           |      |            |                 |
| 0220                    | 6208076  | 18663.000 | LF   |            |                 |
| <b>3 Revised</b>        | 4 IN TEMPORARY PAVEMENT MARKING PAINT  |           |      |            |                 |

0230 6224010 2534.000 SQYD  
 MODIFIED COLDMILLING (DEPTH TRANSITIONS)

-----  
 Section 0001 Total  
 \_\_\_\_\_

Section 0002  
 Guardrail/Guard Cable Items - J4P3266

0240 6061060 5588.000 LF  
 MGS GUARDRAIL  
 -----  
 0250 6061069 12.000 EA  
 MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  
 -----  
 0260 6061080 2.000 EA  
 MGS END ANCHOR  
 -----  
 0270 6063014 6.000 EA  
 TYPE A CRASHWORTHY END TERMINAL (MASH)  
 -----

Section 0002 Total  
 \_\_\_\_\_

Section 0003  
 Bridge A14855 Items - J4P3266

0280 2161502 8665.000 SQFT  
 REMOVAL OF CONCRETE WEARING SURFACE  
 -----  
 0290 2165500 1.000 LS  
 REMOVAL OF CATHODIC PROTECTION SYSTEM  
 -----  
 0300 5050001 963.000 SQYD  
 OPTIONAL CONCRETE WEARING SURFACE  
 -----  
 0310 7040104 450.000 SQFT  
 HALF-SOLE REPAIR  
 -----

Section 0003 Total  
 \_\_\_\_\_

Section 0004  
 Bridge A14856 Items - J4P3266

0320 2161502 8665.000 SQFT  
 REMOVAL OF CONCRETE WEARING SURFACE  
 -----  
 0330 2165500 1.000 LS  
 REMOVAL OF CATHODIC PROTECTION SYSTEM  
 -----  
 0340 5050001 963.000 SQYD  
 OPTIONAL CONCRETE WEARING SURFACE  
 -----  
 0350 7040104 450.000 SQFT  
 HALF-SOLE REPAIR  
 -----

Section 0004 Total  
 \_\_\_\_\_

Section 0005  
 Bridge A16405 Items - J4P3266

0360 2161502 8230.000 SQFT  
 REMOVAL OF CONCRETE WEARING SURFACE  
 -----  
 0370 2165500 1.000 LS  
 REMOVAL OF CATHODIC PROTECTION SYSTEM  
 -----

|      |         |         |                                   |
|------|---------|---------|-----------------------------------|
| 0380 | 5050001 | 914.000 | SQYD                              |
|      |         |         | OPTIONAL CONCRETE WEARING SURFACE |
| 0390 | 7040104 | 400.000 | SQFT                              |
|      |         |         | HALF-SOLE REPAIR                  |
| 0400 | 7040106 | 100.000 | SQFT                              |
|      |         |         | FULL DEPTH REPAIR                 |

Section 0005 Total

Section 0006

Bridge A16406 Items - J4P3266

|      |         |          |  |
|------|---------|----------|--|
| 0410 | 2161502 | 9330.000 | SQFT                                     |
|      |         |          | REMOVAL OF CONCRETE WEARING SURFACE      |
| 0420 | 2163502 | 1.000    | LS                                       |
|      |         |          | PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE |
| 0430 | 2164000 | 10.000   | LF                                       |
|      |         |          | CURB REMOVAL                             |
| 0440 | 2165500 | 1.000    | LS                                       |
|      |         |          | REMOVAL OF CATHODIC PROTECTION SYSTEM    |
| 0450 | 5050001 | 1037.000 | SQYD                                     |
|      |         |          | OPTIONAL CONCRETE WEARING SURFACE        |
| 0460 | 7034001 | 4.200    | CUYD                                     |
|      |         |          | CLASS B-1 CONCRETE                       |
| 0470 | 7034600 | 21.000   | LF                                       |
|      |         |          | CURB BLOCKOUT                            |
| 0480 | 7040104 | 450.000  | SQFT                                     |
|      |         |          | HALF-SOLE REPAIR                         |
| 0490 | 7040106 | 100.000  | SQFT                                     |
|      |         |          | FULL DEPTH REPAIR                        |
| 0500 | 7101000 | 790.000  | LB                                       |
|      |         |          | REINFORCING STEEL (EPOXY COATED)         |

Section 0006 Total

Section 0007

Bridge A16433 Items - J4P3266

|      |         |           |   |
|------|---------|-----------|---|
| 0510 | 2161502 | 12442.000 | SQFT  |
|      |         |           | REMOVAL OF CONCRETE WEARING SURFACE                     |
| 0520 | 2164500 | 243.000   | LF  |
|      |         |           | REMOVAL OF EXISTING EXPANSION JOINT & ADJACENT CONCRETE |
| 0530 | 5052000 | 1376.000  | SQYD  |
|      |         |           | LATEX MODIFIED CONCRETE WEARING SURFACE                 |
| 0540 | 7034001 | 16.300    | CUYD  |
|      |         |           | CLASS B-1 CONCRETE                                      |
| 0550 | 7040101 | 200.000   | SQFT  |
|      |         |           | SUBSTRUCTURE REPAIR (FORMED)                            |
| 0560 | 7040103 | 500.000   | SQFT  |
|      |         |           | SUPERSTRUCTURE REPAIR (UNFORMED)                        |
| 0570 | 7040104 | 1850.000  | SQFT  |
|      |         |           | HALF-SOLE REPAIR  |
| 0580 | 7040106 | 600.000   | SQFT  |





## Section 0010 Total

## Section 0011

## Bridge A21814 Items - J4P3266

|      |         |          |  |
|------|---------|----------|--|
| 0760 | 2161502 | 5187.000 | SQFT                                   |
|      |         |          | REMOVAL OF CONCRETE WEARING SURFACE    |
| 0770 | 5050001 | 576.000  | SQYD                                   |
|      |         |          | OPTIONAL CONCRETE WEARING SURFACE      |
| 0780 | 7034600 | 301.000  | LF                                     |
|      |         |          | CURB BLOCKOUT                          |
| 0790 | 7040104 | 500.000  | SQFT                                   |
|      |         |          | HALF-SOLE REPAIR                       |
| 0800 | 7040112 | 250.000  | SQFT                                   |
|      |         |          | DECK REPAIR WITH VOID TUBE REPLACEMENT |
| 0810 | 7040113 | 990.000  | SQFT                                   |
|      |         |          | CLEAN AND EPOXY SEAL                   |

## Section 0011 Total

## Section 0012

## Bridge A34482 Items - J4P3266

|      |         |         |   |
|------|---------|---------|---|
| 0820 | 2165000 | 144.000 | LF  |
|      |         |         | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT     |
| 0830 | 2169903 | 30.000  | LF  |
|      |         |         | MISC. REMOVAL AND REINSTALLATION OF SIDEWALK SKID PLATE |
| 0840 | 7110200 | 1.000   | LS  |
|      |         |         | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)   |
| 0850 | 7171002 | 110.000 | LF  |
|      |         |         | PREFORMED COMPRESSION SEAL                              |

## Section 0012 Total

## Section 0013

## Bridge A35302 Items - J4P3266

|      |         |         |   |
|------|---------|---------|---|
| 0860 | 2165000 | 196.000 | LF  |
|      |         |         | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT     |
| 0870 | 2169903 | 26.000  | LF  |
|      |         |         | MISC. REMOVAL AND REINSTALLATION OF SIDEWALK SKID PLATE |
| 0880 | 7110200 | 1.000   | LS  |
|      |         |         | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)   |
| 0890 | 7171002 | 165.000 | LF  |
|      |         |         | PREFORMED COMPRESSION SEAL                              |

## Section 0013 Total

## Section 0014

## Bridge A47382 Items - J4P3266

|      |         |        |   |
|------|---------|--------|---|
| 0900 | 2164500 | 63.000 | LF  |
|      |         |        | REMOVAL OF EXISTING EXPANSION JOINT & ADJACENT CONCRETE |

0910 2169903 12.000 LF  
MISC. REMOVE AND REPLACE BARRIER CURB

-----  
0920 7034214 5.900 CUYD  
CLASS B-2 CONCRETE

-----  
0930 7101000 730.000 LB  
REINFORCING STEEL (EPOXY COATED)

-----  
0940 7110200 1.000 LS  
PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)

-----  
0950 7172001 63.000 LF  
STRIP SEAL EXPANSION JOINT SYSTEM

-----  
Section 0014 Total

---

Section 0015

Bridge A48611 Items - J4P3266

0960 2165000 92.000 LF  
REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT

-----  
0970 7171002 92.000 LF  
PREFORMED COMPRESSION SEAL

-----  
Section 0015 Total

---

Section 0016

Bridge A48621 Items - J4P3266

0980 2165000 92.000 LF  
REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT

-----  
0990 7171002 92.000 LF  
PREFORMED COMPRESSION SEAL

-----  
Section 0016 Total

---

Section 0017

Bridge A48631 Items - J4P3266

1000 2165000 192.000 LF  
REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT

-----  
1010 7049903 40.000 LF  
MISC. RAISED MEDIAN REPAIR

-----  
1020 7171002 192.000 LF  
PREFORMED COMPRESSION SEAL

-----  
Section 0017 Total

---

Section 0018

Bridge A51801 Items - J4P3266

1030 2164500 193.000 LF  
REMOVAL OF EXISTING EXPANSION JOINT & ADJACENT CONCRETE

-----  
1040 2169903 12.000 LF  
MISC. REMOVE AND REPLACE BARRIER CURB

-----  
1050 2169904 24.000 SQFT  
MISC. REMOVE AND REPLACE RAISED MEDIAN CURB

1060 7034214 16.900 CUYD  
CLASS B-2 CONCRETE

-----  
1070 7049903 20.000 LF  
MISC. RAISED MEDIAN REPAIR

-----  
1080 7101000 2570.000 LB  
REINFORCING STEEL (EPOXY COATED)

-----  
1090 7110200 1.000 LS  
PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)

-----  
1100 7172001 163.000 LF  
STRIP SEAL EXPANSION JOINT SYSTEM

-----  
Section 0018 Total

---

Section 0019

Bridge A51811 Items - J4P3266

-----  
1110 2164500 162.000 LF  
REMOVAL OF EXISTING EXPANSION JOINT & ADJACENT CONCRETE

-----  
1120 2169904 24.000 SQFT  
MISC. REMOVE AND REPLACE RAISED MEDIAN CURB

-----  
1130 7034214 15.300 CUYD  
CLASS B-2 CONCRETE

-----  
1140 7101000 2080.000 LB  
REINFORCING STEEL (EPOXY COATED)

-----  
1150 7110200 1.000 LS  
PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)

-----  
1160 7172001 162.000 LF  
STRIP SEAL EXPANSION JOINT SYSTEM

-----  
Section 0019 Total

---

Section 0020

Bridge A51831 Items - J4P3266

-----  
1170 2164500 192.000 LF  
REMOVAL OF EXISTING EXPANSION JOINT & ADJACENT CONCRETE

-----  
1180 2169903 12.000 LF  
MISC. REMOVE AND REPLACE BARRIER CURB

-----  
1190 2169904 24.000 SQFT  
MISC. REMOVE AND REPLACE RAISED MEDIAN CURB

-----  
1200 7034214 17.200 CUYD  
CLASS B-2 CONCRETE

-----  
1210 7101000 2900.000 LB  
REINFORCING STEEL (EPOXY COATED)

-----  
1220 7110200 1.000 LS  
PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)

-----  
1230 7172001 162.000 LF  
STRIP SEAL EXPANSION JOINT SYSTEM

-----  
Section 0020 Total

---

Section 0021

## Bridge A57261 Items - J4P3266

---

|                    |         |   |        |
|--------------------|---------|---|--------|
| 1240               | 2165000 | 185.000 LF  |        |
|                    |         | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT   |        |
| 1250               | 7110200 | 1.000 LS  |        |
|                    |         | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY) |        |
| 1260               | 7171002 | 185.000 LF  |        |
|                    |         | PREFORMED COMPRESSION SEAL                            |        |
| <hr/>              |         |   |        |
| Section 0021 Total |         |   |        |
| <hr/>              |         |   |        |
| <hr/>              |         |   |        |
| Item Total         |         |   | \$0.00 |
| <hr/>              |         |   |        |

## DBE List Summary

Project: FAS S302(002)

Bidder ID: 0011540

Bid Total: 0.00

Business Name: Company1

Goal: 6.00% (0.00)

Total Entered: 0.00% (0.00)

| <b>ID</b> | <b>Name</b> | <b>Is Supplier?</b> | <b>Item Count</b> | <b>Amount</b> | <b>Is Complete?</b> |
|-----------|-------------|---------------------|-------------------|---------------|---------------------|
|-----------|-------------|---------------------|-------------------|---------------|---------------------|

---

**DBE CERTIFICATION**

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.

(7) Bidder's Certificaton for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 6.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, [www.modot.org](http://www.modot.org) on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

**CONTRACT PROVISIONS**

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING



§

(Note: This amount should be entered in only one of the bids for this big opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? **Yes**  **No**

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Section 34.355 RSMo Supp 2000, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

**SUBCONTRACTOR DISCLOSURE**

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

**SIGNATURE AND IDENTITY OF BIDDER**

## (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes     No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

**BID BOND**

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by:  Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

## ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID:

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS